

Juniper

Trellis quilt designed by Nancy Mahoney



Finished quilt: 72" square

Fabric Requirements

2¹/₂ yards Dot-CM9528 Cream

1³/₄ yards Juniper-CM4118 Black (includes binding)

3/4 yard Juniper-CM4112 Blue

5/8 yard Juniper-CM4116 Navy

5/8 yard Juniper-CM4119 Black

3/8 yard Juniper-CM4114 Blue

1/3 yard each:

Juniper-CM4111 Black

Juniper-CM4115 Blue

Juniper-CM4117 Gold

4¹/₂ yards Juniper backing print of your choice 80" x 80" batting

Cutting

From Dot-CM9528 Cream:

- Cut three 81/2" x width-of-fabric (WOF) strips. Sub-cut sixty-four $1^{1/2}$ " x $8^{1/2}$ " strips and twelve $1^{1/2}$ " x $6^{1/2}$ " strips.
- Cut two $6^{1}/2^{11}$ x WOF strips. Sub-cut fifty-two $1^{1}/2^{11}$ x $6^{1}/2^{11}$ strips.
- Cut eight 4¹/₂" x WOF strips. Sub-cut 128 2¹/₂" x 4¹/₂" rectangles.
- Cut four 2¹/₂" x WOF strips. Sub-cut sixty-four 2¹/₂" squares.

From Juniper-CM4118 Black:

- Cut sixteen 2¹/₂" x WOF strips. Sub-cut 256 2¹/₂" squares.
- Cut nine 2¹/₂" x WOF strips for binding.

From Juniper-CM4112 Blue:

• Cut seven 31/2" x WOF strips. Sew the strips together end to end using straight seams and cut two 3¹/₂" x 72" top/bottomborder strips and two 31/2" x 66" side-border strips.

From both Juniper-CM4116 Navy and Juniper-CM4119 Black:

- Cut three $6^{1/2}$ " x WOF strips. Sub-cut sixteen $6^{1/2}$ " squares. From Juniper-CM4114 Blue:
- Cut four 2¹/₂" x WOF strips. Sub-cut sixty-four 2¹/₂" squares. From both Juniper-CM4111 Black and Juniper-CM4115 Blue:
- Cut two 4¹/₂" x WOF strips. Sub-cut sixteen 4¹/₂" squares. From Juniper-CM4117 Gold:
- Cut seven 1¹/₄" x WOF strips. Sew the strips together end to end using diagonal seams and cut two 11/4" x 66" top/bottom-border strips and two $1^{1/4}$ " x $64^{1/2}$ " side-border strips.

Block Construction

total of sixteen blocks.

Block A

1. Sew one $1\frac{1}{2}$ " x $6\frac{1}{2}$ " CM9528 Cream strip to each side of a 6½" CM4116 Navy square. Sew one $1\frac{1}{2}$ " x $8\frac{1}{2}$ " CM9528 Cream strip to the top and another to the bottom of the square to make one block. Make a total of sixteen blocks. (figure 1)






fig. 1 1½" x 6½" CM9528 Cream strips, 1½" x 8½" CM9528 Cream strips, and the 6½" CM4119 Black squares. Make a







Center Make 16.

Block B

3. Draw a diagonal line from corner to corner on the wrong side of each 2½" CM4118 Black square. Right sides together, layer a marked square on one end of a 2½" x 4½" CM9528 Cream rectangle. Sew on the marked line and trim the excess corner fabric, leaving a 1/4" seam allowance. Press the seam allowances toward the resulting triangle. In the same way, sew a marked square on the opposite end of the rectangle to make a flying-geese unit. Make a total of 128 units. (figure 2)









fig. 2 - Make 128.

4. Lay out two $2\frac{1}{2}$ " CM4114 Blue squares, two $2\frac{1}{2}$ " CM9528 Cream squares, four flying-geese units, and one 4½" CM4111 Black square as shown in figure 3. Join the pieces into rows and then join the rows to make the block. Make a total of sixteen blocks.







Center Center Make 16. Make 16.


5. Repeat step 4 using the remaining 2½" CM4114 Blue squares, 2½" CM9528 Cream squares, flying-geese units, and the $4\frac{1}{2}$ " CM4115 Blue squares. Make a total of sixteen blocks.

Quilt Top Assembly

- 6. Lay out the blocks in eight rows of eight blocks each, noting the color and orientation as shown in the Quilt Assembly Diagram. Join the blocks into rows. Join the rows in order, matching adjacent seams.
- 7. Sew a $1\frac{1}{4}$ " x $64\frac{1}{2}$ " CM4117 Gold strip to each side of the quilt top. Sew one 11/4" x 66" CM4117 Gold strip to the top and another to the bottom of the quilt top.
- 8. Sew one $3\frac{1}{2}$ " x 66" CM4112 Blue strip to each side of the quilt top. Sew one $3\frac{1}{2}$ " x 72" CM4112 Blue strip to the top and another to the bottom of the quilt top.

Finishing

- 9. Layer the quilt top, batting and backing and quilt as desired.
- 10. Stitch the binding strips together end to end using diagonal seams. Fold and press the resulting long strip in half lengthwise with wrong sides together. Stitch to the quilt front, matching raw edges and mitering the corners.
- 11. Fold the binding to the quilt underside and hand-stitch the folded edge to the quilt back.



Quilt Assembly Diagram

©2015 Nancy Mahoney www.nancymahoney.com

Permission is granted to shop owners and teachers to make copies for promotional or educational purposes only.

This pattern may not be reproduced for commercial purposes (i.e. may not be sold).

This pattern may not be reproduced for ANY PURPOSE after July 18, 2016.